## WEIGHT & BALANCE INFORMATION

for the

# G103 TWIN ASTIR, G103 TWIN II ACRO, and Schleicher ASK-21 Gliders

along with

#### SPECIFIC DATA FOR ALL FIVE CURRENTLY OWNED GLIDERS

in the form of

#### INDIVIDUALLY TAILORED LOADING GRAPHS

Updated 1 June 2024 by

Stanley E. McGrew - A&P1240495

Weight & Balance considerations for the GROB G103s and ASK-21 can get just a bit confusing, largely because of the "method of presentation" to be found in the Flight Manuals. This presentation is partially intended as an attempt at identifying and clarifying certain of those Weight and Balance issues. First, note the following peculiarity:

From the Graphs provided herein, it may be seen that there exist areas <u>well within</u> that envelope defining overall fore and aft Center of Gravity and Maximum Gross Weight operating limitations, but within which the Flight Manual imposed constraints identified below effectively deny conduct of flight operations.

- 1. The Flight Manuals impose a <u>242 lb. Maximum Pilot Weight</u> in either seat.
- 2. The Flight Manuals impose a <u>154 lb. minimum weight in the front seat</u> for <u>all</u> flight operations. (*This should not be confused with "minimum front seat weight for solo operation," which may be <u>more</u> than 154 lbs., but never <u>less</u> than 154 lbs.)*
- 3. The Flight Manuals offer no explanation for the above limitations, but it appears that EASA has (for whatever reason) established <u>Operational Requirements</u> corresponding to a specific <u>Certification Requirement</u> for two-place gliders (ref: CS 22.23 load distribution limits). Then, in the Twin II Acro, the 154 lb. minimum front seat weight limitation may be compensated for by the installation of one or both 12.3 lb. trim weights, but this action is not without a peculiarity of its own, which it may sometimes be necessary to take into account. A subsequent slide will go into more detail on this matter.

### LOADING GRAPH PRINCIPALS:

The <u>first</u> graph displayed for each glider will outline the <u>entire envelope</u> within which the glider <u>could</u> operate without exceeding either Center of Gravity or Maximum Gross Weight operating limits.

Then, on both graphs, that <u>limited portion</u> of this envelope within which the Flight Manuals specify that all flight operations are to be conducted will be prominently outlined with a red border

The next two slides will show by example how the loading graphs that are herewith provided are to be interpreted and used

Remember, these are only examples, and are therefore not to be taken as specifically representative of any particular USA owned glider



FWD CG Limit (+10.24")

Maximum Pilot Weight, either seat, is generally 242 lbs., but note that in this example case, the rear seat weight is limited to 210 lbs.

**GROB 103** Twin II Acro Nxxxx Serial No. XXXXXX

This graph is **Based on the** weighing, and the Weight & **Balance** calculations performed on XXXXXXXXXX arachute 200


300


250

(Pilot 150 Weight Seat 100 Front

50

E.W. = 916.0 lbs.EWCG = +29.85Useful Load = 363 lbs. **Minimum Front seat** weight for solo – 170 lbs.





**O.K.** — Having experienced the demonstration, let us proceed on to individual loading graphs tailored to specific gliders - - -


These graphs will be provided in two different versions, one "very busy" with lots of notes and data, the other in an easier to use *expanded format* of just that part of the overall W&B envelope within which all flight operations are to be conducted - - -


8BG

GROB 103 Twin II Acro N228BG Serial No. 33995-K-228

This Graph is
Based on the
Weight and
Balance Data of
20 Mar 2018

E.W. = 919.0 lbs. EWCG = +29.6 Useful Load = 360 lbs. Minimum Front seat weight for solo = 167 lbs.





Specific to 8BG - Because the trim weights are installed at a location that is somewhat forward of the front seat, both their <u>actual weights</u> as well as their <u>weight change effects</u> must sometimes be taken <u>separately</u> into account. Neither does the Flight Manual identify the station where these weights may be installed. (Computations and measurement reveal this station to be approximately 59 inches forward of the datum.)


The effective front seat weight change upon installation of a single weight is 16 lbs., and the effective front seat weight change when both weights are installed is 33 lbs. If it becomes necessary to use trim weights to achieve the necessary front seat minimum weight, it must be remembered that the effective weight so used will be greater than the actual weight added to the glider (16 and 33 lbs., versus 12.3 and 24.6 lbs., respectively). Not a lot of difference, but perhaps just enough to sometimes push the derived operating Gross Weight just beyond it's limit of 1,279 lbs. Taking into proper account the lessor actual weight added, as opposed to the front seat effective weight change figure, may sometimes serve to get the operating Gross Weight figure back within limits. Because of 8BG's low useful load figure, this small "gain" may sometimes be quite beneficial.


Still a bit confusing? I shouldn't wonder! But hey, I didn't put all these "ifs, ands and buts" into the Flight Manual. I am just attempting to give a little bit better insight into something I believe the Flight Manual covers rather poorly.





**GROB Twin Astir** N8485W Serial No. 3290


This graph is based on the weighing, and the Weight & **Balance** calculations performed on 17 Oct 2013























**GROB Twin Astir N792TW** Serial No. 3184


This graph is based on the Weight & **Balance Data of** Xxxxx **XXXXXX** 




300











Note: This graph is built around <u>Basic Operating</u>
<u>Weight</u> (with battery) rather than <u>Empty Weight</u>





Another PowerPointless presentation.